

UNCLASSIFIED

(CLASSIFICATION)

DOCUMENT NO.

HW-80658

GENERAL ELECTRIC

HANFORD ATOMIC PRODUCTS OPERATION - RICHLAND, WASHINGTON

DATE

COPY NO.

1/31/64

ISSUING FILE

TITLE

CORROSION OF 304-L STAINLESS STEEL AND HAPO-20 IN ACID-FLUORIDE SYSTEMS.

AUTHOR

R. F. MANESS

RECORD
COPY

DISTRIBUTION

	NAME	BUILDING	AREA
1.	J. M. Atwood	326	300
2.	R. E. Burns	222S	200 West
3.	C. R. Cooley	326	300
4.	J. B. Fetht, Jr.	271T	200 West
5.	H. H. Hopkins, Jr.	234-5	200 West
6.	R. E. Isaacson	202S	200 West
7.	B. F. Judson	202A	200 West
8.	P. S. Kingsley	271 T	200 West
9.	R. F. Maness	326	300
10.	A. M. Platt	326	300
11.	H. P. Shaw	2704E	200 East
12.	W. H. Swift	326	300
13.	R. E. Tomlinson	2704E	200 East
14.	W. L. Walker	326	300
15.	300 Area Files		
16.	Record Center		
17.	- 25 Extra		

BEST AVAILABLE COPY

REFERENCE COPY
RECEIVED 300 AREA

APR 6 1964

RETURN TO

TECHNICAL INFORMATION CENTER

THIS DOCUMENT IS PUBLICLY
AVAILABLE

Ronald J. Brown PNNL APP 11/27/2000

1552

326

AUG 20 '64

ROUTE TO

PAYROLL NO.

LOCATION

FILES ROUTE
DATE

SIGNATURE AND DATE

~~300 Files~~

53011

703

JUN 4 - '64

53011

703

JUN 22 '64

53011

703

AUG 12 '64

54-3000-030 (1-8)

ARG-02 RICHLAND, WASH.

UNCLASSIFIED

(CLASSIFICATION)

TO BE USED ON UNCLASSIFIED AND OFFICIAL USE ONLY DOCUMENTS.

CORROSION OF 304-L STAINLESS STEEL AND HAP0-20
IN ACID-FLUORIDE SYSTEMS

BY

R. F. Maness
Chemical Development Operation
HANFORD LABORATORIES

January 31, 1964

HANFORD ATOMIC PRODUCTS OPERATION
RICHLAND, WASHINGTON

NOTICE

This report was prepared for use within General Electric Company in the course of work under Atomic Energy Commission Contract AT(45-1) - 1350, and any views or opinions expressed in the report are those of the author only. This report is subject to revision upon collection of additional data.

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

Classified by: R. E. Burns

LIST OF FIGURES

<u>Figure no.</u>	<u>System</u>	<u>Material</u>	<u>Page</u>
1	0.01M <u>HF</u> -HNO ₃ -Al(NO ₃) ₃ , Boiling	304-L	5
2	0.10M <u>HF</u> -HNO ₃ -Al(NO ₃) ₃ , Boiling	304-L	6
3	0.25M <u>HF</u> -HNO ₃ -Al(NO ₃) ₃ , Boiling	304-L	7
4	HNO ₃ -HF, 60 and 80 C	304-L	8
5	0.01M <u>HF</u> -HNO ₃ -Th(NO ₃) ₄ , Boiling	304-L	9
6	0.05M <u>HF</u> -HNO ₃ -Th(NO ₃) ₄ , Boiling	304-L	10
7	0.10M <u>HF</u> -HNO ₃ -Th(NO ₃) ₄ , Boiling	304-L	11
8	0.10M <u>HF</u> -10M <u>HNO</u> ₃ -Th(NO ₃) ₄ 60 C	304-L	12
9	0.01M <u>HF</u> -HNO ₃ -Al(NO ₃) ₃ , Boiling	HAPO-20	13
10	0.10M <u>HF</u> -HNO ₃ -Al(NO ₃) ₃ , Boiling	HAPO-20	14
11	0.25M <u>HF</u> -HNO ₃ -Al(NO ₃) ₃ , Boiling	HAPO-20	15
12	0.50M <u>HF</u> -HNO ₃ -Al(NO ₃) ₃ , Boiling	HAPO-20	16
13	HNO ₃ -HF-Al(NO ₃) ₃ , Al/F=1.0, Boiling	HAPO-20	17
14	HNO ₃ -HF, Boiling	HAPO-20	18
15	0.1M <u>HF</u> -HNO ₃ -Th(NO ₃) ₄ , Boiling	HAPO-20	19

CORROSION OF 304-L STAINLESS STEEL AND HAPO-20
IN ACID-FLUORIDE SYSTEMS

INTRODUCTION

Interest continues at Hanford in materials of construction suitable for containing HNO_3 -HF solutions. These solutions are or may be used as dissolvents for PuO_2 and ThO_2 , as an etchant for zircaloy, and as an elutriant in certain ion exchange columns. Acid -fluoride corrosion data on 304-L stainless steel, the material of construction most commonly used for process equipment at Hanford, are sparse and scattered. This report summarizes 304-L and HAPO-20 corrosion rate data in HNO_3 -HF, HNO_3 -HF- $\text{Al}(\text{NO}_3)_3$, and HNO_3 -HF- $\text{Th}(\text{NO}_3)_4$ systems. Corrosion data for HAPO-20 are included because of its comparatively excellent resistance to acid-fluoride solutions.

EXPERIMENTAL

Specimens of 304-L and HAPO-20 were prepared for testing by heat treating at 1250 F for one hour and water quenching. The specimens were then ground to a 120 grit finish, passivated in nitric acid, dried with acetone and weighed. Exposures were made in Teflon bottles equipped with Teflon condensers. Most specimens were exposed for three 24-hour periods. Longer exposure periods were not used because end grain attack becomes the predominate mode of attack in the more aggressive solutions after about 100 exposure hours.

DISCUSSION

The data shown in Figures 1 through 15 are for specimens exposed to the liquid phase. Specimens exposed to the vapor phase or to the liquid-vapor interface were present in about 75 percent of the tests. In all cases the greater attack occurred on specimens exposed to the liquid phase. No preferential attack occurred on specimens exposed to the liquid-vapor interface. The

UNCLASSIFIED

HW-80658

reported data are useful for comparative purposes but should not be used to estimate the life of plant equipment for a given process utilizing acid-fluoride solutions. Such an estimation requires a more detailed investigation under conditions dictated by the particular system.

UNCLASSIFIED

UNCLASSIFIED

HW-80658




FIGURE 1

304-L Corrosion Rates, 0.01M HF-HNO₃-Al(NO₃)₃ System

UNCLASSIFIED

UNCLASSIFIED

HW-80658




FIGURE 2

304-L Corrosion Rates, 0.1M HF-HNO₃-Al(NO₃)₃ System

UNCLASSIFIED

UNCLASSIFIED

HW-80658




FIGURE 3

304-L Corrosion Rates, 0.25M HF-HNO₃-Al(NO₃)₃ System

UNCLASSIFIED

UNCLASSIFIED

HW-80658




FIGURE 4

304-L Corrosion Rates, HNO₃-HF System

UNCLASSIFIED

UNCLASSIFIED

HW-80658




FIGURE 5

304-L Corrosion Rates, 0.01M HF-HNO₃-Th(NO₃)₄ System

UNCLASSIFIED

UNCLASSIFIED

HW-80658




FIGURE 6

304-L Corrosion Rates, 0.05M HF-HNO₃-Th(NO₃)₄ System

UNCLASSIFIED

UNCLASSIFIED

HW-80658





FIGURE 7

304-L Corrosion Rates, 0.10M HF-HNO₃-Th(NO₃)₄ System

UNCLASSIFIED

UNCLASSIFIED

HW-80658



Th/F Mole Ratio
FIGURE 8

304-L Corrosion Rates, 0.1M HF-10M HNO₃-Th(NO₃)₄ Systems - 60 C

UNCLASSIFIED

UNCLASSIFIED

HW-80658




FIGURE 9

HAPO-20 Corrosion Rates, 0.01M HF-HNO₃-Al(NO₃)₃ System

UNCLASSIFIED

UNCLASSIFIED

HW-80658




FIGURE 10

HAPO-20 Corrosion Rates, 0.10M HF-HNO₃-Al(NO₃)₃ System

UNCLASSIFIED

UNCLASSIFIED

HW-80658




FIGURE 11

HAPO-20 Corrosion Rates, 0.25M HF-HNO₃-Al(NO₃)₃ System

UNCLASSIFIED

UNCLASSIFIED

HW-80658




FIGURE 12

HAPO-20 Corrosion Rates, 0.50M HF-HNO₃-Al(NO₃)₃ System

UNCLASSIFIED

UNCLASSIFIED

HW-80658





FIGURE 13

HAPO-20 Corrosion Rates, HNO_3 -HF- $\text{Al}(\text{NO}_3)_3$ System (Boiling)

UNCLASSIFIED

UNCLASSIFIED

HW-80658



HF, M
FIGURE 14

HAPO-20 Corrosion Rates, Boiling HNO_3 -HF System

UNCLASSIFIED

HW-80658




FIGURE 15

HAPO-20 Corrosion Rates, 0.1M HF-HNO₃-Th(NO₃)₄ System

UNCLASSIFIED