

LITERATURE ACCESS CATEGORIES

C-44b

DECLASSIFIED

DOCUMENT NO.

ISO-434

SERIES AND COPY NO.

DATE

August 5, 1966

(CLASSIFICATION)

PROJECT

ISOCHEM INC.

RICHLAND, WASHINGTON

ISSUING FILE

TITLE AND AUTHOR

NEW THOUGHTS ON CLOSED-LOOP, CLOSE-
COUPLED PROCESSING FOR IRRADIATING Np-237

by

O. F. Hill

☒ RESTRICTED DATA

THIS DOCUMENT CONTAINS RESTRICTED DATA AS DEFINED
IN THE ATOMIC ENERGY ACT OF 1954. ITS TRANSMITTAL
OR THE DISCLOSURE OF ITS CONTENTS IN ANY MANNER TO
AN UNAUTHORIZED PERSON IS PROHIBITED.

☐ OTHER OFFICIAL CLASSIFIED INFORMATION

THIS MATERIAL CONTAINS INFORMATION AFFECTING THE
NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE
MEANING OF THE ESPIONAGE LAWS, TITLE 18, U.S.C. SECS
793 AND 794, THE TRANSMISSION OR REVELATION OF
WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON IS
PROHIBITED BY LAW.

THIS DOCUMENT MUST NOT BE LEFT UNATTENDED OR WHERE AN
UNAUTHORIZED PERSON MAY HAVE ACCESS TO IT. WHEN NOT IN
USE, IT MUST BE STORED IN AN APPROVED LOCKED REPOSITORY
WITHIN AN APPROVED GUARDED AREA. WHILE IT IS IN YOUR
POSSESSION AND UNTIL YOU HAVE RETURNED IT TO YOUR
CLASSIFIED DOCUMENT RESPONSIBILITY STATION, IT IS YOUR
RESPONSIBILITY TO KEEP IT AND ITS CONTENTS WITHIN THE
LIMITS OF THIS PROJECT AND FROM AN UNAUTHORIZED PERSON.
ITS TRANSMITTAL TO, AND STORAGE AT YOUR PLACE OF
RESIDENCE IS PROHIBITED. IT WILL BE DUPLICATED ONLY IN
ACCORDANCE WITH EXISTING SECURITY REGULATIONS. ALL
PERSONS READING THIS DOCUMENT ARE REQUESTED TO SIGN
IN THE SPACE BELOW.

ROUTE TO:

PAYROLL NO

LOCATION

FILES ROUTE
DATE

SIGNATURE AND DATE

A M Platt - BNL

30107

324

AUG - 5 1966

BMS

BMS

DECLASSIFIED

~~RESTRICTED~~
DECLASSIFIED

ISO-434
Page 1

~~This document contains restricted data as
defined in the Atomic Energy Act of 1954.
It is prohibited in any manner to an unauthorized
person is prohibited.~~

This document consists of 5
pages. ~~of 12 copies.~~

NEW THOUGHTS ON CLOSED-LOOP,
CLOSE-COUPLED PROCESSING FOR
IRRADIATING Np-237

by

O. F. Hill
Research and Engineering
Chemical Processing Division

August 5, 1966

Classification Cancelled (Change to

UNCLASSIFIED)

By Authority of A.E. Barber

Printout 9-25-72

By L. Page 10-26-72

J.E. Savely 8-28-01

D I S T R I B U T I O N

1. T. W. Ambrose - DUN
2. M. C. Leverett - GE
3. A. M. Platt - BNW
4. E. E. Voiland - BNW
5. M. T. Walling - BNW
6. O. F. Hill - ISO
7. T. R. McKenzie - ISO
8. H. C. Rathvon - ISO
9. A. E. Smith - ISO
10. R. E. Tomlinson - ISO
11. 200 Files
12. Record Files

Reviewed and Approved for
Public Release by the NSAT
Buzz Lammie PNNL ADD
9.4.2001 Date

~~Excluded from automatic downgrading
or declassification.~~

DECLASSIFIED

DECLASSIFIED ~~UNCLASSIFIED~~
ISOICHEM INC. ~~ISOICHEM INC.~~

Richland,
Washington 99352 ISO-434
Page 2

August 5, 1966

Battelle Memorial Institute
Pacific Northwest Laboratory
Richland, Washington

Attention: Mr. E. E. Voiland, Manager
Chemical Research

Subject: NEW THOUGHTS ON CLOSED-LOOP, CLOSE-COUPLED
PROCESSING FOR IRRADIATING Np-237

Gentlemen:

Recent studies* on irradiating neptunium-237 suggest strongly that close-coupled, reactor operation has many advantages. Among these are:

- Minimum out-of-reactor time for the neptunium, possibly to as little as a few days per "cycle".
- High conversion of neptunium-237 to plutonium-238.
- Reduced parasitic adsorption of neutrons by the plutonium-238 to form plutonium-239.

Among objections to an aqueous loop have been:

- Severe reactor control problems in the event of loss of the aqueous solution of neptunium from the reactor.
- Aqueous systems contribute further to the over-moderation of the reactors.
- Severe iodine problems in processing the aqueous stream for neptunium recycle.
- Control of fission and radiolysis gases in the loop.

The Molten Salt Reactor Experiment (MSRE) has been successful recently in that the reactor has operated for significant periods of time. Thus, the feasibility of handling fluoride salts in a neutronic environment is established.

* G. F. Owsley, "Maximizing Pu-238 Production from Np-237 Irradiation,"
DUN-1277 RD.

DECLASSIFIED

DECLASSIFIED

Battelle Memorial Institute
Attn: Mr. E. E. Voiland

August 5, 1966

This note is prepared to suggest that the irradiation of fluoride salts containing neptunium-237 offers many advantages for the production of plutonium-238 and to request that exploratory studies be initiated. A schematic block flow diagram to represent conceptual processes is attached.

Advantages claimed include the following:

- Neptunium is recovered promptly and returned to the reactor environment.
- Iodine is probably controlled since it would be condensed from a closed system as IF_5 and/or IF_7 .
- The processes are adaptable to continuous or, at least, semi-continuous operation.
- The processes probably remove the major fission product poisons from the salt prior to recycle of the salt.
- Loss of product plutonium-238 through the parasitic capture of neutrons to form plutonium-239 is minimized.

To establish early feasibility of the concept, the following studies should be undertaken promptly.

- Reactor physics studies to determine desirable range of neptunium-237 concentration in the molten salt, to determine the need for in-reactor cooling, to qualitatively evaluate molten salt irradiation vs solidified salt irradiation, to define the potential nuclear hazard problems.
- Determine whether any fluorination studies have been performed to establish that indeed NpF_6 can be volatilized from the molten salt. If they have not been, perform same.
- From a literature search determine the conditions under which PuO_2 can be precipitated from the molten salt. Also, determine the information known, if any, on fission product precipitation with the PuO_2 (degree of poison decontamination).

Your thinking and explorations should not be restricted to the processes outlined here, but could include examination, as you suggest, of other

DECLASSIFIED

ISOICHEM INC.

~~UNCLASSIFIED~~

DECLASSIFIED

ISO-434
Page 4

Battelle Memorial Institute
Attn: Mr. E. E. Voiland

August 5, 1966

means of obtaining plutonium and/or neptunium separation from the salt. The advantage of fluorination is its removal from the system prior to plutonium removal, and thus removing any neptunium interference with plutonium isolation. Also, of major importance is that the processes outlined here permit the early return of the neptunium to the reactor.

Very truly yours,



Principal Chemical Engineer
Research and Engineering
Chemical Processing Division

OF Hill bp


~~UNCLASSIFIED~~

DECLASSIFIED

~~DECLASSIFIED~~
DECLASSIFIED

ISO-434
Page 5

SALT LOOP PROCESSING OF NEPTUNIUM-237



* Further processing and purification on campaign basis in Isochem facilities.

~~DECLASSIFIED~~
DECLASSIFIED