

Critical Review of Progress Report on Reactive Matrix Isotope Separation by E. Catalano, E. Lee, and M. Schwab


E. Catalano

RECEIVED
APR 14 1997
OSTI

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED



August 19, 1975



This is an informal report intended primarily for internal or limited external distribution. The opinions and conclusions stated are those of the author and may or may not be those of the Laboratory.

Work performed under the auspices of the U.S. Department of Energy by the Lawrence Livermore National Laboratory under Contract W-7405-ENG-48.

MASTER

DISCLAIMER

**Portions of this document may be illegible
in electronic image products. Images are
produced from the best available original
document.**

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

This document was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the University of California nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the University of California, and shall not be used for advertising or product endorsement purposes.

This report has been reproduced
directly from the best available copy.

Available to DOE and DOE contractors from the
Office of Scientific and Technical Information
P.O. Box 62, Oak Ridge, TN 37831
Prices available from (615) 576-8401, FTS 626-8401

Available to the public from the
National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Rd.,
Springfield, VA 22161

COCCB AUG 21 1975

59/258

August 19, 1975

MEMORANDUM

LIS

TO: Harry Rizzo
FROM: E. Catalano
SUBJECT: Critical Review of Progress Report on Reactive Matrix Isotope Separation by E. Catalano, E. Lee, and M. Schwab

Professor John L. Margrave is a consultant for us. Professor Margrave is Dean of the Graduate School, Department of Chemistry, Rice University in Houston. He has had wide experience in the fields of high temperature chemistry, fluorine chemistry, and chemical reactions carried out by low temperature matrix isolation techniques. We were pleased to have Professor Margrave critically review our paper. Enclosed are his comments.

You will notice that he agrees with us as to the important criteria that still have to be met if our process is to be a viable one. But also notice that he suggests a strong effort along the lines of investigating other candidate chemical systems. His suggestions are well thought out and we will be taking them into consideration.

He has made a very valuable suggestion for a method of pre-cooling UF₆ for the matrix isolation which we hope to implement.

S.R.

Ed Catalano

Classification level or indicate Unclassified

UNCLASSIFIED

COCCA-75-9 6/7/96 (date)

Person making the change: [Signature] 10/1/96 (date)

Verifying this is the correct document or model: [Signature] 10/4/96 (date)

EC:de

Distribution:

- Copy 1 of 9A H. F. Rizzo
- Copy 2 of 9A G. D. Dorough
- Copy 3 of 9A J. W. Dubrin
- Copy 4 of 9A E. L. Lee
- Copy 5 of 9A A. Maimoni
- Copy 6 of 9A L. W. Roberts
- Copy 7 of 9A M. Schwab
- Copy 8 of 9A E. Catalano
- Copy 9 of 9A File

Classification of this document

(Insert appropriate classification)

by authority of [Signature] (Authority for change)

by [Signature] (Signature)



verified by [Signature] (Signature of person)

Comments on Draft #5, "Reactive Matrix" Work Paper

J. L. Margrave

1. This paper presents an intriguing introduction to some real possibilities for uranium isotope separation using matrix techniques.
2. There are three critical problems which should be resolved to validate the approach, as soon as possible:

(a) The photo-induced reactions:



must be shown to occur -- initially with a broad band of IR ($600 \pm 100 \text{ cm}^{-1}$) which will show no isotopic discrimination.

- (b) A mixed matrix of $\text{UF}_6 + \text{NO}$, unreacted, must be prepared; also, $\text{UF}_6 + \text{CO}$ matrices, or $\text{UF}_6 + \text{Xe}$ matrices.
- (c) A monochromatic source of $\sim 620 \text{ cm}^{-1}$ radiation must be found.





3. In order to develop this approach fully, one needs:

(a) A better chemical and structural and thermal understanding of NOUF_6 , NOUF_7 , etc.

- (1) Are these charge-transfer, ionic solids?
- (2) What are crystal energies, heats of formation?
- (3) How do these compounds melt, decompose and vaporize?


(b) Studies of UF_6 in F_2 , Ne, Ar, Xe, CO, N_2 , and NO matrices to establish optimum matrix gases, to get best line shapes, and to choose best reaction.

(c) Studies of other possible reactions of UF_6 (in addition to NO and CO), for example:





4. In terms of the process, for $M/UF_6 \approx 1000$,


$NO_x F$
 where $M = NO$ or Xe or O_2 or Li



↓ warm-up




all known, stable solids; form spontaneously at room temperature



predicted to be stable solids, like PtF_6 analogs. If not currently known, these should be prepared and characterized.

CONCLUSIONS AND SUGGESTIONS

1. Need detailed studies of UF_6 in Ne , Ar , Xe , N_2 matrices.
2. Need system for making $NO + UF_6$ matrix:



could "cryopump" cold UF_6 from CO_2 -cooled Knudsen cell to LHe-cooled surface and CO -deposit cooled NO to get unreacted NO/UF_6 matrix

3. Need to explore Xe + UF₆ system.
 - (a) is reaction observed at room temperature?
 - (b) is reaction observed at low temperature?
 - (c) is XeUF₆ stable?
4. Could use laser raman to characterize reaction products.