

DECLASSIFIED

1st REVIEW DATE: 6-1-99
AUTHORITY AOC/ADC/ADD
NAME: Buzz Hammer
ORG: PNNL ADD
2nd REVIEW DATE: 6/1/99
NAME: PNNL ADD
ORG: PNNL-ADD

RLO-CG-5 REV 1 (E.O. UP)
10/16/95

DECLASSIFIED

DO NOT REPRODUCE
REFERENCE COPY ONLY.

- 2-12-92
3-12-95
- #1 G. H. Sanford
 - #2 E. G. Jones - D. O. A
 - #3 F. A. Gato - 700 File
 - #4 H. H. Kahl - Wilmington
 - #5 F. W. Gruesz
 - #6 K. H. Smith
 - #7 D. E. Smith
 - #8 E. G. Jones
 - #9 800 File
 - #10 Pink Copy
 - #11 Yellow Copy

COPY 1

December 21, 1944

G. H. Sanford
Chief Supervisor
800 Area

CHEMICAL AND METAL SPECIFICATIONS FOR
800 AREA ESSENTIAL MATERIALS

Attached are the chemical specifications for
essential materials for the 800 area.

These specifications have been discussed with
your personnel and also with the Chemical Control Group.

E. G. Jones, Chief Supervisor

R. C. Grills
R. C. Grills, Area Supervisor
Metallurgy

WCS/mic

Classification Cancel and Change to
DECLASSIFIED


By: [Signature]
Date: [Signature]

Reviewed and Approved for
Public Release by the Hanford
Declassification Project

[Signature] PNNL ADD
6/1/99 Date

BEST AVAILABLE COPY

DECLASSIFIED



1256

~~CONFIDENTIAL~~
DECLASSIFIED

ACCEPTANCE SPECIFICATIONS

1. Soluble Cutting Oil (Get Mfr's. Specs.) Also A.S.T.M. III '42, p. 777
2. Degreaser Solvent (Tentative Specs. Attached)
3. Nitric Acid (Tentative Specs. Attached) Also 200 Area Specs.
4. Sodium Pyrophosphate A.S.T.M. III '42, p. 1838, 1842
5. Drying Alcohol (Specs. Attached) or Acetone (A.S.T.M. II '42, p. 903)
6. Phosphoric Acid A.C.S. '41, p. 15
7. Caustic Soda (200 Area Specs. #10)
8. Acenaphthene (Specs. Attached)
9. Carbon Tetrachloride (Rezin, p. 124)
10. Al-Cane (Specs. Attached)
11. Al-Cape (Specs. Attached)
12. Steel Sleeves (Specs. Attached)
13. Copper (for Bronze) (Specs. Attached)
14. Tin (for Bath) (Specs. Attached)
15. Aluminum-Silicon (Specs. Attached)
16. Aluminum (23) (Specs. Attached)
17. Barium Chloride (A.C.S., '41, p. 35)
18. Sodium Chloride (A.C.S., '41, p. 10)
19. Potassium Chloride (A.C.S., '41, p. 76)
20. Hydrofluoric Acid (Specs. Attached)
21. Sodium Nitrate (200 Area Specs. #22)
22. Fluosilicic Acid (Specs. Attached)
23. Duponol (Send for Mfr's. Specs.)
24. Argon - Use Test

~~CONFIDENTIAL~~
DECLASSIFIED

1256

~~SECRET~~
DECLASSIFIED

DEGREASER SOLVENT

Tentative Specs. for Trichloroethylene

Sp. G., 15/4° 1.465 to 1.475

Distillation Range 84.4° - 90°C

Total Alkalinity: Min. 0.10% as Pyridine

Maximum Impurities

Non-volatile .03%

Chlorides .01%

Free Chlorine - No trace

Phosgene - No trace

Water - No turbidity resulting when cooled to -10°C and allowed to come to room temperature.

MATERIAL SPECS. FOR ALUMINUM CANS, CAPS AND INGOTS

Material: 23 Aluminum

Chemical Composition

Assay: 99.30% Al (min.)

Total of all Elements except Al - 0.80%

Boron)	Max. .0001%, by
Cadmium)	Spectrochemical
Lithium)	Analysis

~~SECRET~~
DECLASSIFIED

3-1256

~~CONFIDENTIAL~~
DECLASSIFIED

TENTATIVE SPECS. FOR NITRIC ACID
FOR SLUG PICKLE

Strength as HNO_3 56% (by weight) min.

Containers shall be plainly labeled as to % concentration and Specific Gravity.

Maximum Impurities

Residue on Evaporation - .005%

Chloride - .001%

Phosphate - .001%

Sulfate - .001%

Nitrite - .150%

Metals below Al in EMF Series:

Each - .0001%

Total - .001%

TENTATIVE SPECS. FOR ACENAPHTHENE

M.P. - $92.5^\circ - 95^\circ\text{C}$. (Capillary)

Solubility: Completely soluble in C.P. Chloroform

at 20°C to the extent of 33 g. per 100 g.

CHCl_3 . The saturated solution shall be clear and colorless at 20°C without turbidity or suspended matter.

~~CONFIDENTIAL~~
DECLASSIFIED

3-1256

~~CONFIDENTIAL~~
DECLASSIFIED

TENTATIVE SPECS. FOR STEEL SLABVES

Material: Low-carbon steel (SAE 1015 to 1030)

TENTATIVE SPECS. FOR COPPER METAL FOR BATH

Quality: Electrolytic Copper

Metal Content: Minimum Purity 99.90% Cu.

Maximum Impurities:

Boron)	Max. .0001%, by
Cadmium)	Spectrochemical
Lithium)	Analysis

TENTATIVE SPECS. FOR TIN METAL FOR BATH
(Send for Mfr's. Specs.)

Assay: 99.90% (min.) Tin

Maximum Impurities

Boron)	Max. .0001%, by
Cadmium)	Spectrochemical
Lithium)	Analysis

Other metals (including Arsenic) 0.1%

~~CONFIDENTIAL~~
DECLASSIFIED

2, 1256

~~CONFIDENTIAL~~
DECLASSIFIED

TENTATIVE SPECS. FOR AL-SI FOR BATH

Composition: Si - 11.25% (min.) 15% (max.)

Impurities 0.80% (max.)

Al - Remainder

Maximum Impurities

Iron 0.4%
Copper 0.1%
Titanium 0.006%

Boron) .0001% max., by
Cadmium) Spectrochemical
Lithium) Analysis

TENTATIVE SPECS. FOR HYDROFLUORIC ACID
USED IN RECLAIMING

Assay: Not less than 60% HF

Maximum Impurities

Fluosilicic Acid (.05%)
Non-volatile Matter (0.1%)
Chloride (.03%)

TENTATIVE SPECS. FOR FLUOSILICIC ACID

Assay: 27 - 30% H_2SiF_6

Maximum Impurities

Non-volatile 0.25%
Chloride 0.02%
Sulfate .05%
Heavy Metals (as Pb) .005
Iron .005

DECLASSIFIED

~~CONFIDENTIAL~~

3-1256
DECLASSIFIED

200 AREA SPECS. FOR NaNO_3

Grade: Commercial NaNO_3

Insoluble in H_2O : 0.20%

Total NO_3 60.0% min.

Total Cl 0.5% max.

Total Se_4 1.0% max.

TENTATIVE SPECS. FOR METHANOL FOR DRYING CANS

Sp. G., 25/25°: .790 - .791; 15/4° - .796 (7)

Boiling Range: 65° - 66°C

Maximum Impurities

Grade: Synthetic

Non-volatile: .001%

Substances precipitated by water - none

Acidity (as Acetic Acid) .003%

Water - Miscible without turbidity with 19 volumes

80° A.P.I. Gasoline at 20°C.

Color - Water Clear

Odor: Characteristic of Analytical Grade Methanol

Boron)
Cadmium) .0001% max.
Lithium)

DECLASSIFIED